



CATALOG
INSPIRATION
LIFESTYLE
2022

Issue
14



www.VRH.co.th

Faucet | Shower | Rinsing Spray | Bathroom Accessories | Wireware
Kitchen & Bathroom | Stainless



ALVAR

CONTENT

Variety of products with international quality standard

316 SERIES

10 RIVIERA

TOUCHLESS FAUCET, FOOT PLATE PANEL

13 FOOT PLATE PANEL

14 TOUCHLESS FAUCET

FAUCET

14 **ALVAR**

16 **DUO**

18 **K Ü C H E**

21 **Contour**

24 **ARGO**

25 *Flow*

27 *Marathon*

30 **Villa**

31 **Forte**

33 **CUBE**

33 **HYBRID**

33 **newcross**

34 **+Smooth**

35 

35 **wind**

36 **Tempo**

37 **ASTA**

37 **CURVA**

38 

39 **POCKET**

40 *bonny*

42 *Lex*

KITCHEN FAUCET

44 KITCHEN FAUCET

48 DRINKING WATER FAUCET FOR WATER PURIFIER

48 WATER DISPENSER

48 PROFESSIONAL

49 HARDWARE

SHOWER & ACCESSORIES

51 RAIN SHOWER

56 SHOWER

58 SHOWER & FAUCET ACCESSORIES

RINSING SPRAY, TRAP, WASTE, FLOOR DRAIN

60 RINSING SPRAY, TRAP, WASTE

61 FLUSH VALVE

63 FLOOR DRAIN

BATHROOM ACCESSORIES

66 HOSPITAL ACCESSORIES

67 **BA**


67 **BP**

68 *bonny*

69 **CUBE**

69 **Kanda**


71 **BOX**

71 

72 

72 **Mali**

73 **Mod**

73 

SANITARY WARE

75  X HELGA LNGRID

WIREWARE

79 WIREWARE

GRAB BAR

87 GRAB BAR SWING

88 GRAB BAR

WALL MOUNTED FOLDABLE CHAIR

97 WALL MOUNTED FOLDABLE CHAIR

INFORMATION

05 FAQs

06 TESTING

07 PRODUCT CARE INSTRUCTION & SERVICE

08 WATER SAVING FAUCET SERIES

09 CHECKLIST BEFORE BUYING FAUCET

57 CHECKLIST CHOOSING SHOWER HEAD

62 THE ADVANTAGE OF VRH FLOOR DRAIN

86 THE TIPS. BEFORE PURCHASING GRAB BAR

98 WARRANTY

99 MADE TO ORDER



มอก. 2066-2552

TISI 2066-2552

Thailand Industrial Standard for “showers” certifying environment-friendly and water saving compliance.



มอก. 2067-2552

TISI 2067-2552

Thailand Industrial Standard for “sanitary faucets” certifying environment-friendly, water saving, and uncontaminated residue level compliance.

List of hazardous heavy metal	Maximum allowance (mg/L) according to TISI standard	Test Result
Cadmium (cd)	0.001	None
Lead (Pb)	0.007	None
Zinc (ZN)	0.97	0.02

Table shows the test result of water quality flowing out from VRH faucet. According to TISI Standard and certified by Thailand Automotive Institute.



มอก. 792-2554



Toilet



มอก. 2067-2552



มอก. 1277-2555



Sink Faucet



มอก. 2067-2552



มอก. 1278-2555



Wash Basin Facet



มอก. 2066-2552



ABS Shower SUS



มอก. 2067-2552



มอก. 1377-2555



Automatic Self-Closing Faucet



มอก. 2147-2546



มอก. 2148-2546



Sensor Faucet



มอก. 1189-2536



Shower Faucet



มอก. 1497-2548



Rinsing Spray



มอก. 2149-2546



Wall Sink Faucet



มอก. 1093-2542



Fluchs Valve



มอก. 1282-2538



waste Plug

Our experience for the last 40 years with many pride awards certified the Quality.

OUR VALUE



Green Label

For faucets and water saving products. This label ensures trustable quality and environmental friendliness.



Thailand Trust Mark/TTM

Certified by The Department of Export Promotion, The Ministry of Commerce. TTM ensures of trustable quality in international standard level to all customers.



Prime Minister's Export Award 2012

Thai Owned Brand



CIT Construction Institute of Thailand

Product quality is inspected and certified by INTERTEK and Construction International Standards of Thailand (CIT) which research and test under TISI (ISO9000:2001)

CUTTING EDGE TECHNOLOGY

With advance technology machines and high quality standard control make precision in every production process of VRH products.

Stainless Steel

Stainless Steel is steel alloy which is high corrosion resistance property and a minimum of 10.5% chromium content. The chromium content will help forming film layer to resist to corrosion and it can be rebuilt itself if the film layer is scratched or destroyed.

In addition, it can be added other chemical content in Stainless Steel for property adjustment as required for various utilization.

Grades of Stainless Steel



Choosing any grade of Stainless Steel is depend on product category, quality and usage purpose

- Grade 201 : The fundamental grade which is widely used to produce household appliance such as wireware, tray etc.
- Grade 302 : It is used for kitchen appliance, furniture fitting and architectural work.
- Grade 304 : It is widely used in many food and medical industries, kitchen appliance, bathroom accessories, sanitary fittings, water tank and door hardware.
- Grade 316 : "Marine grade" suitable for chemical industries, medical applications, architectural and coastal industries which are located sea front with salty ambience.

Fe (Iron) Balance	Cr (Chromium) 16-18%	Mn (Manganese) 2%	Ni (Nickel) 10-14%	Si (Silicon) 1%	C (Carbon) 0.08%	P (Phosphorus) 0.045%	S (Sulfur) 0.03%	Mo (Molybdenum) 2-3%	316
-------------------------	----------------------------	-------------------------	--------------------------	-----------------------	------------------------	-----------------------------	------------------------	----------------------------	------------

Fe (Iron) Balance	Cr (Chromium) 16-20%	Mn (Manganese) 2%	Ni (Nickel) 8-10.5%	Si (Silicon) 1%	C (Carbon) 0.08%	P (Phosphorus) 0.045%	S (Sulfur) 0.03%	304
-------------------------	----------------------------	-------------------------	---------------------------	-----------------------	------------------------	-----------------------------	------------------------	------------

Fe (Iron) Balance	Cr (Chromium) 16-18%	Mn (Manganese) 5.5-7.5%	Ni (Nickel) 3.5-5.5%	Si (Silicon) 1%	N (Nitrogen) 0.25%	C (Carbon) 0.15%	P (Phosphorus) 0.06%	S (Sulfur) 0.03%	201
-------------------------	----------------------------	-------------------------------	----------------------------	-----------------------	--------------------------	------------------------	----------------------------	------------------------	------------



Q: Can Stainless steel get rust ???

A: Rust can occur on Stainless steel in high acid and alkali environment.

Major causes for rust on Stainless steel grade 304

1. Stainless steel products are exposed to detergent that consists of hydrochloric acid and its vapor.
2. Stainless steel products are located near cement construction and exposed to cement dust or cement fluid.
3. Limestone and iron oxides in ground water can corrode stainless steel and cause rust.
4. To use stainless steel product in sea exposure or salty ambience.

Q: The initial cleaning of water stains and rust

- A:
1. Use clean water to clean out all toilet detergent on stainless steel surface. Then, use clean and soft cloth to wipe the product dry in order to prevent any stains on stainless steel surface,
 2. When stains or rust occur, use soft sponge to polish on the stains surface.
 3. If there are a lot of ingrained stains, it is recommended to use vinegar to help removing and polishing the ingrained stains off, then clean the surface with clean water and wipe it dry by clean and soft cloth afterwards.



Q: Maintenance care for Overhead Shower and Hand Shower

A: There may be some dregs agglomerating and clogging the silicone nozzle of Overhead Shower or Hand Shower after being used for a while. Clean the silicone nozzle occasionally by squeezing while the water is still on to prevent agglomerating dregs.



Q: Stainless steel products

The effect caused by cleaning detergent which consists of Hydrochloric Acid

A: Hydrochloric Acid is chemical compounds which is clear, colorless, water soluble and highly pungent solution of hydrogen chloride (HCl) in water. It is high concentration, highly corrosive, strong mineral acid with many industrial uses.

Hydrochloric Acid reacts crevice & pitting corrosion in stainless steel material. Its corrosion ability will be higher when exposed to air.

Stainless steel grade 304 or 316 widely used in household is unable to withstand the corrosion of hydrochloric acid in any condition. Even the higher grade stainless steel, it can resist to corrosion no more than 3% in normal condition and even cannot avoid crevice & pitting.

It recommends to avoid cleaning stainless steel products by all kinds of cleaning agent consisting of Hydrochloric acid. or if necessary, it is suggested to wash off by clean water as soon as possible afterwards. Do not leave it for long as the stainless steel surface may get corrosion and rust as the consequent result.



STAINLESS STEEL

WHY STAINLESS STEEL GET RUSTY ?



①

Groundwater area containing limestones, minerals, and iron oxides that are dissolved in the water



②

Locating near construction area and exposing to cement dust



③

Nearby the sea or exposing to sea salt as seawater corrosion causes rust when minerals exposed to saltwater vapors

STAINLESS STEEL PRODUCTS The effect caused by cleaning detergent

Stainless steel
Polishing Cream

Important chemical
substance

Aluminium Oxide 26%
Hydrotreated Light 20%
Kerosene 10%



Oil cleaner

Important chemical
substance

Alkyl Dimethyl Amine Oxide 1.6%
Monoethanolamine 5.0%
Diethylene Glycol N-Butyl Ether 1.7%
Dipropylene Glycol N-Butyl Ether 3.3%



Stain cleaner

Important chemical
substance

Sodium Lauryl Ether Sulfate 1.84%
Alkyl Dimethyl Amine Oxide 0.37%
Sodium Hypochlorite 3%
Sodium Laurath 0.27%



Stains cleaner

Important chemical
substance

Sodium Hypochlorite 1.66%
Sodium Oxyf Sulfate 1.75%



Stain cleaner

Important chemical
substance

Alkyl Dimethyl Amine Oxide 2.6%
Sodium Alkane Sulfonate 0.42%
Sodium Hypochlorite 2.64%



Stain remover

Important chemical
substance

Hydrochloric Acid 9.4%



Hydrochloric Acid

Hydrochloric acid is chemical compounds which is clear, colourless, water soluble and highly pungent solution of hydrogen chloride (HCl) in water. It is high concentration, highly corrosive, strong mineral acid with many industrial uses.

Stainless steel grade 304 or 316 widely used in household is unable to withstand the corrosion of Hydrochloric acid in any condition. Even the higher grade Stainless Steel, it can resist to corrosion no more than 3% in normal condition and even cannot avoid crevice & pitting

Material used in Test :
Stainless steel grade 304,
2 mm. thickness

Testing method :
Apply cleaning detergent on Stainless Steel
surface and leave within the period specified.

Testing duration :
30 days (16 Sep. - 15 Oct. 2016)

Hydrochloric acid reacts crevice & pitting corrosion in Stainless Steel material. Its corrosion ability will be higher when exposed to air.

It recommends to avoid cleaning Stainless Steel products by all kinds of cleaning agent containing Hydrochloric acid, or if necessary, it is suggested to wash off by clean water as soon as possible afterwards. Do not leave it for long as the stainless steel surface may get corrosion and rust as the consequent result.



Maintenance care for Overhead Shower and Hand Shower

There may be some dregs agglomerating and clogging the silicone nozzle of Overhead Shower or Hand Shower after being used for a while. Clean the silicone nozzle occasionally by squeezing while the water is still on to prevent agglomerating dregs.



Scan QR CODE to see VDO
Maintenance care for Stainless steel Faucet
and Accessories



Stainless steel product care instruction



Scan QR CODE to see VDO
Maintenance care for Stainless steel Faucet
and Accessories

Product Care Instruction : Faucet / Shower set / Rinsing spray and Bathroom accessories.



Cleaning by clean water and wipe it dry are recommended as regular cleaning to maintain the product surface.



Apply and polish on the surface with rust remover and then clean off by clean water.



Use the clean and soft cloth to wipe it dry after cleaning by clean water.

The initial cleaning of water stains and rust

1. Use clean water to clean out all toilet detergent on stainless steel surface. Then, use clean cloth to wipe the product dry in order to prevent any stains on stainless steel surface.
2. When stains or rust occurs, use soft sponge to polish on the stains surface.
3. If there are a lot of ingrained stains, it is recommended to use vinegar to help removing and polishing the ingrained stains off, then clean the surface with clean water.

Professional Service *By VRH*

Our valued customers are most welcome.

Service information

- Product and warranty
- After sales service
- Distributor and retailer information
- Call Center : (+66) 2 769 5701



We Are Service

Water Saving faucet series

Water saving & Eco friendly faucets

Water Efficiency Label 5

Water consumption rate $0.5 < W \leq 2.0$ Liter/min



SAVE05-2000101

Trusted Quality
Highest efficiency of
water saving

Water Efficiency Label 4

Water consumption rate $2.0 < W \leq 4.0$ Liter/min



SAVE04-200036



SAVE04-1000L3



SAVE04-1000101



SAVE04-2000H5



SAVE04-2000B2



SAVE04-2000B1



SAVE04-2000P1



กรมประปา
METROPOLITAN WATERWORKS AUTHORITY

VRH is certified for the division of highest water saving efficiency by "Water efficiency label" of Metropolitan Waterworks Authority which is further developed by Thai Industrial Standards Institute (TISI) that requires the flow rate of lavatory faucet at 0.5-6.0 liter/min. Water saving efficiency criteria of Metropolitan Waterworks Authority is more restricted.



Water Efficiency Label 4

Water consumption rate $2.0 < W \leq 4.0$ Liter/min



Water Efficiency Label 5

Water consumption rate $0.5 < W < 2.0$ Liter/min



CHECKLIST

BEFORE BUYING FAUCET



Choosing faucet that has all functions you need, beautiful design, easy to use and suit with your decorative style.



Using a faucet that can be cleaned easily to prevent its surface peeling and rusting from bathroom cleaner.



Wash basin faucet should be equipped with ceramic valve. It can be 90 degree turning or adjusting lever to open-close system. It is easy and long-life usage.



If you need faucet that has both cold and hot water, you should select a mixture faucet. A single mixture faucet has one handler for open and close by lifting it up and down and adjust temperature by turning left and right. A dual mixture faucet has two handlers, each handler control hot and cold water separately by turning 90 degree clockwise or anti clockwise.



Choosing faucet that suits with your basin. Tip of a faucet's spout should extend into basin at least 5 centimeter for convenient use and prevent water splashing.



You may look for additional or multi-functioned faucet for more convenience such as sensor faucet and faucet that has both drinking water and using water as 2 function in 1.



Quality Grade Stainless Steel Faucet **316**

Premium stainless steel suitable for marine environments.

RIVIERA

series



HFDSP-A00052

Deck Single Basin Faucet
with Pull Handy Shower Spray
(Black Nylon Braided Flex Hose
2 meter length)



FXDH0-0047BP (Sprayer Head Only)

Push-Button Shower
(SUS Marine grade)

New from **VRH** Stainless Steel 316

Marine Grade

Premium Stainless Steel Bathroom Fittings and
Kitchen Accessories for using marine environment



RIVIERA

series



HFDSP-200135

Deck Single Control Mixer
Basin Faucet



HFDSP-313131

Concealed Single Control Mixer
Shower Faucet



HFDSP-313134

Concealed Single Control Mixer
Shower Faucet with Diverter
(Overhead Shower is not included
in the product set)



HFDSP-312131

Wall Single Control Mixer
Bath Faucet with Hand Shower
and Hand Shower Holder



FJDHP-144ICS

Arm Shower with
Shower Head Round Dia.10"



FJDHP-144IDS

Ceiling Arm Shower
with Shower Head Round Dia.10"



FXDH0-0041KS

Rinsing Spary Set
with Rinser Silver Flex Hose



HFDSP-400131

Single Control Mixer
Bath Faucet on Pillar Leg
with Hand Shower



FJDHS-144RDS

External Shower Set
Wall Single Control Mixer
Shower Faucet with
Diverter for Overhead Shower
Round dia.10" and Hand Shower Set





FBVHR-V101AS
 Towel Bar 600 mm.



FBVHR-V103AS
 Towel Ring



FBVHR-V104AS
 Toilet Paper Holder
 with Covering Plate



FBVHR-V104BS
 Toilet Paper Holder



FBVHR-V107AS
 Soap Holder



FBVHR-V102AS
 Towel Hook



FBVHR-V102BS
 Dual Towel Hook

TOUCHLESS FAUCET , FOOT PLATE PANEL

STAINLESS STEEL 304

PREMIUM QUALITY

Touchless innovation that can prevent your life from virus infections for the new normal living.



NEW ARRIVAL

FXVH0-0301AK

Foot Pedal Plate For Pulling Door



NEW ARRIVAL

FXVH0-0302AK

Sliding Foot Pedal Plate for Sliding Door



NEW ARRIVAL

HFGSZ-H00001

Foot Pedal Control Deck Single Basin Faucet

**NEW
ARRIVAL**

TOUCHLESS FAUCET

Contour

Villa
The Perfect Blend



HFVSS-200039
Deck Single Sensor Basin Faucet



HFVSS-2000C2
Deck Single Sensor Basin Faucet

**NEW
ARRIVAL**

ALVAR



HFVSP-2000AV1
Deck Single Basin Faucet

Remark : QR Code reader for product size and dimension

FAUCET

STAINLESS STEEL 304



Premium quality stainless steel 304

VRH products are made of high quality Stainless Steel grade 304, feel the touch of Stainless Steel surface, longer durability and high rusty resistance which differ from general Chrome coated Brass faucet.



Safe from heavy metal contamination

Verified by Thailand Industrial Standard Institute (TISI 2066-2552, TISI 2067-2552) for water safe and free from hazardous heavy metal contamination (Lead, Cadmium and Zinc).



All spare parts are replaceable

Extend the product life with available spare parts for all parts. Spare parts are easy to replace by yourself. Easy reparation, low maintenance cost and save your budget from buying the new one.



Durable ceramic valve

Opening and closing control by cartridge valve system. The cartridge valve is produced from high temperature resistance more than 2,200 degree Celsius process. Guarantee for durability and strength by achieving the operation durability test for over 500,000 times without water leakage.



12 years warranty with after sales service*

Fulfill your confidence of VRH products with 12 years warranty for without leakage. After sales service is always available for all cases.

*Maximum 12 Year warranty is applied to specific series.



Scan QR Code to see VDO
Deck single control mixer faucet installation

FAUCET

STAINLESS STEEL 304

DUO+
The new innovation
for your comfort and convenience

Drinking water + Tap water

The new innovation
for your comfort and convenience



 **DUO+**

HFVSB-100252

Deck Dual Control Single Kitchen
Sink Faucet for Water Purifier
with Three-Way Stop Valve
(Body Height : 395 mm.)



Scan QR Code to see VDO
Duo Installation Guide



DUOPro

HFVSP-100253 


Deck Dual Control Mixer Kitchen
Sink Faucet for Water Purifier
with Three-Way Stop Valve
(Body Height : 395 mm.)



DUOmini

HFVSB-100254

Deck Dual Control Single Kitchen
Sink Faucet for Water Purifier
with Three-Way Stop Valve
(Body Height : 300 mm.)



Separate water pipe between
Drinking water and Tap water



Drinking Water



Tap Water

DUO+ DUOPro



395 mm.

DUOmini




300 mm.

Remark : QR Code reader for product size and dimension

K Ü C H E

By Jacob Jensen Design





NEW ARRIVAL

HFVLB-100261

Deck Single Control
Kitchen Sink and Drinking-Water
Faucet with Swivel Spout for Water
Purifier matt black surface



HFVFB-100261

Deck Single Control
Kitchen Sink and Drinking-Water
Faucet with swivel spout for water
Purifier satin stainless-matt black
surface



HFVFB-100261

Deck Single Control
Kitchen Sink and Drinking-Water
Faucet with swivel spout for water
Purifier satin-Shiny Polish
stainless surface




red dot design award
honourable mention 2010



The tip of the faucet spout can be rotated to a maximum angle of 60° degrees for suitable application.




2 function in 1 faucet for Drinking water and Tap water
 ☰ - Outlet hole for Tap water is located at the front
 ☷ - Outlet hole for Drinking water is located next to the inside



The symbolic icon located at the tip of faucet spout telling the outlet water and its function usage.



The symbolic icon at valve control indicates the direction to rotate and select the function of use



Single control valve for Open-Close and Drinking water – Tap water selection.
 - Turn the valve control forwards for tap water selection
 - Turn the valve control backwards for Drinking water selection



The faucet spout can be swivel in 2 directions (maximum 360 degree angle) to support the 2 bowl type kitchen sink.



Scan QR CODE to see VDO
KUCHE Faucet

Design Jacob Jensen

Remark : QR Code reader for product size and dimension

Contour



Contour





HFVSP-2000C1

Deck Single Basin Faucet



HFVSP-2001C1

Deck Single Control Mixer Basin Faucet
(Body Height : 287 mm)




HFVSP-2001C1

Deck Single Control Mixer Basin Faucet



HFVSB-4002C1

Deck Dual Control Mixer Bath Faucet



HFVSB-4002C2

Deck Dual Control Mixer Bath Faucet
with Hand Shower dia. 2"x4"




HFVSB-4002C3

Deck Dual Control Mixer Bath Faucet
with Ceiling Arm Shower
and Shower Head Round dia.10"



HFVSB-4002C4

Deck Dual Control Mixer Bath Faucet
with Ceiling Arm Shower
Round dia.10"and Hand
Shower dia. 2"x4"





HFVSP-3131C1 
Concealed Single Control Mixer
Shower Faucet



FJVHF-177AJS
Hand Shower 2"x4" Set
with Flexible Hose



HFVSP-3131C4 
Concealed Single Control Mixer
Shower Faucet
with Hand Shower dia. 2"x4"



HFVSP-3131C3 
Concealed Single Control Mixer
Shower Faucet
with Ceiling Arm Shower dia. 10"
and Hand Shower Round dia. 2"x4"



HFVSP-3131C2 
Concealed Single Control Mixer
Shower Faucet
with Ceiling Arm Shower
and Shower Head Round dia. 10"



FAUCET


STAINLESS STEEL 304

Contour



FJVHS-144CFS 

External Shower Set
Wall Single Control Mixer
Shower Faucet with
Diverter for Shower Head Round
dia. 10" and Hand Shower 2"x4" Set



HFVSB-4002C5 

Dual Control Mixer
Bath Faucet on Pillar Leg
with Hand Shower 2"x4" Set

FAUCET

STAINLESS STEEL 304



ARGO





HFVSP-000077


Deck Single Sink Faucet
(High body with Spring Spout
and 2 Alternative Water flow System)

2 Alternative Water Flow System

Water Bubble



Water Spray



Remark : QR Code reader for product size and dimension

FAUCET

STAINLESS STEEL 304

Function Responds to Your Life



2 Alternative Water Flow System

Water Bubble



Water Spray



Flow
Inspiration of Luxury



HFVSP-1000F3

Deck Single Sink Faucet with Alternative Water Spray Button



HFVSP-1001F3

Deck Single Control Mixer Sink Faucet with Alternative Water Spray Button



HFVSP-2000F1

Deck Single Basin Faucet



HFVSP-3120F1

Wall Single Shower Faucet for Hand Shower (without Shower Hose)

Marathon

FUNCTION & REVOLUTION



FAUCET

STAINLESS STEEL 304

Marathon
FUNCTION & REVOLUTION



HFVSP-2001A7 
Deck Single Control Mixer
Basin Faucet




HFVSP-1000A8
Deck Single Sink Faucet
with Shower Set




HFVSP-2000A6
Deck Single Basin Faucet
(Body Height : 340 mm)



HFVSP-1000A9
Deck Single Sink Faucet
with Shower Set

HFVSP-2001A3 
Deck Single Control Mixer
Faucet
(Body Height : 340 mm)



HFVSP-1001A9 
Deck Single Control Mixer
Sink Faucet with Shower Set




HFVSP-3120A2
Wall Single Shower Faucet
for Hand Shower
(without Shower Hose)



HFVSP-3131A3 
Concealed Single Control Mixer
Shower Faucet



HFVSP-3121A2 

Wall Single Control Mixer
Shower Faucet for Hand Shower
(without Shower Hose)



HFVSP-4121A3 

Wall Single Control Mixer
Bath Faucet with Hand Shower



HFVSP-400011

Single Control
Bath Faucet on Pillar Leg





HFVSP-200036
Deck Single Basin Faucet

HFVSP-200136 
Deck Single Control Mixer
Basin Faucet



HFVSP-312034
Wall Single Shower Faucet
for Hand Shower
(Without Shower Hose)



HFVSP-2000301
Single Control
Basin Faucet on Pillar Leg
(Body Height : 1173 mm)



HFVSP-200073

Deck Single Basin Faucet

HFVSP-200173

Deck Single Control Mixer
Basin Faucet



HFVSP-100072

Deck Single Sink Faucet

HFVSP-100172

Deck Single Control Mixer
Sink Faucet



HFVSP-312072

Wall Single Shower Faucet
for Hand Shower
(without Shower Hose)



HFVSP-313171

Concealed Single Control Mixer
Shower Faucet



HFVSP-412171

Wall Single Control Mixer
Bath Faucet with Hand Shower

HFVSP-412172

Wall Single Control Mixer Bath Faucet
(without Hand Shower)



HFVSP-312172

Wall Single Control Mixer
Shower Faucet
(without Shower Hose)

CUBE

born in **solidity**



FAUCET

STAINLESS STEEL 304

CUBE
born in *solidity*



HFVSP-2000X3
Deck Single Basin Faucet



HFVSB-3120X2
Wall Single Shower Faucet
for Hand Shower

HYBRID
think for the next



HFVSP-2000H3
Deck Single Basin Faucet



HFVSB-3120H2
Wall Single Shower Faucet
for Hand Shower
(without Shower Hose)

newCROSS
back to basic



HFVSB-3120Z3
Wall Single Shower Faucet
for Shower Post



HFVSB-2000D5
Deck Single Basin Faucet



HFVSB-1000D5
Deck Single Sink Faucet



HFVSB-3130D1
Concealed Single Shower Faucet



HFVSB-3120D3
Wall Single Shower Faucet
(without Shower Hose)



HFVSB-3122D5 
Wall Dual Control Mixer
Shower Faucet with Hand Shower
dia. 2.5"



HFVSB-4122D1 
Wall Dual Control Mixer
Bath Faucet with Hand Shower



HFVSB-2122D8 
Concealed Dual Control Mixer
Basin Faucet



HFVSB-4002D9 
Deck Dual Control Mixer
Bath Faucet with Hand Shower

FAUCET

STAINLESS STEEL 304



HFVSB-2000B2
Deck Single Basin Faucet



HFVSP-2000B1
Deck Single Basin Faucet



HFVSP-3120B1
Wall Single Shower Faucet
for Hand Shower (Without Shower Hose)

wind



HFVSB-2000P1
Deck Single Basin Faucet




HFVSB-7120P7
Multi-function Faucet with
Hose Connector



HFVSB-3120P1
Wall Single Shower Faucet
for Hand Shower
(without Shower Hose)




Scan QR Code to see VDO
WIND Installation Guide




- Specially suitable to use with Top Loading Washing Machine.
- Easy to connect with washing machine
- Strong hose connector
- Lock system, no leaking case

Compared to General Faucet
and VRH Faucet (WIND series)



General Faucet



WIND series


Remark : QR Code reader for product size and dimension



HFVSB-2000L2
Deck Single Basin Faucet



HFVSB-1000L3
Deck Single Sink Faucet



HFVSB-3120L3
Wall Single Shower Faucet
for Hand Shower with Slide Bar
and Hand Shower Round dia 4"



HFVSB-3120L2
Wall Single Shower Faucet
for Hand Shower
(Without Shower Hose)

FAUCET

STAINLESS STEEL 304

ASTA



HFVSB-2000601
Deck Single Basin Faucet



HFVSP-2000602
Deck Single Basin Faucet

CURVA



HFVSR-5000T5
Automatic Self-Closing Basin Faucet

NEW
ARRIVAL



HFVSR-5000B6
Automatic Self-Closing Basin Faucet



HFVSP-200091
Deck Single Basin Faucet



HFVSP-100091
Deck Single Sink Faucet



FAUCET

STAINLESS STEEL 304

POCKET
Compact Design



HFVSB-2000G7
Deck Single Basin Faucet



HFVSB-2000G1
Deck Single Basin Faucet



HFVSB-1000G1
Deck Single Sink Faucet



HFVSB-1000G6
Deck Single Sink Faucet
(Pull Spray)



HFVSB-1120G1
Wall Single Sink Faucet



HFVSB-1000G9
Deck Single Sink Faucet



HFVSB-3120G2
Wall Single Shower Faucet
for Hand Shower
(without Shower Hose)



HFVSB-7120G1
Wall Single Faucet



HFVSB-7120G2
Wall Single Faucet
with Single Shower Faucet
(without Shower Hose)



HFVSB-2000K4
Deck Single Basin Faucet



HFVSB-1000K3
Deck Single Sink Faucet



HFVSB-1120K3
Wall Single Sink Faucet



HFVSB-3120K4
Wall Single Shower Faucet
for Hand Shower
(without Shower Hose)



HFVJC-7120K6
Wall Tap
with Hose Connector



HFVJC-7120K7
Wall Tap



HFVJC-9120K16
Dual Control
Three Ways Stop Valve



HFVJC-9120K11
Two Ways Stop Valve



HFVJC-9120K12
Three Ways Stop Valve



HFVJC-9120K13
Two Ways Stop Valve
With Base Cover



HFVJC-9120K14
Three Ways Stop Valve
With Base Cover




HFVSB-7120K12
Wall Single Faucet with Hose



HFVSB-7120K13
Multi-Function Faucet with
Hose Connector



Compared to General Faucet
and VRH Faucet (BONNY series)



General Faucet



BONNY series



- Specially suitable to use with Top Loading Washing Machine.
- Easy to connect with washing machine
- Strong hose connector
- Lock system, no leaking case

Remark : QR Code reader for product size and dimension

**NEW
ARRIVAL**



HFVJC-7120K10
Wall Tap with Hose Connector



HFVJC-7120K11
Wall Tap



HFVSB-1000101
Deck Single Sink Faucet



HFVSB-2000101
Deck Single Basin Faucet



HFVSB-1120101
Wall Single Sink Faucet
Swivel Spout



HFVSB-7120101
Wall Tap
with Hose Connector



KITCHEN FAUCET

STAINLESS STEEL 304

PREMIUM QUALITY

Fulfill your happiness, convenience and hygienic standard in your kitchen activity with Stainless steel grade 304 for all kitchen lovers



**NEW
ARRIVAL**

K Ü C H E

HFVLB-100261

Deck Single Control
Kitchen Sink and Drinking-Water
Faucet with Swivel Spout for Water
Purifier matt black Surface



HFVFB-100261

Deck Single Control
Kitchen Sink and Drinking-Water
Faucet with Swivel Spout for Water
Purifier satin stainless-matt black
Surface



HFVFB-100261

Deck Single Control
Kitchen Sink and Drinking-Water
Faucet with Swivel Spout for Water
Purifier Satin-Shiny Polish
Stainless Surface



HFVSP-100253

Deck Dual Control Mixer Kitchen
Sink Faucet for Water Purifier
with Three Way stop valve
(Body Height : 395 mm.)

DUO_{Pro}



DUO₊

HFVSB-100252

Deck Dual Control Single Kitchen
Sink Faucet for Water Purifier
with Three Way stop valve
(Body Height : 395 mm.)



DUO_{mini}

HFVSB-100254

Deck Dual Control Single Kitchen
Sink Faucet for Water Purifier
with Three Way stop valve
(Body Height : 300 mm.)




KITCHEN FAUCET

STAINLESS STEEL 304



Flow
Inspiration of Luxury



HFVSP-1000F3 
Deck Single Sink Faucet
with Alternative Water Spray Button



HFVSP-1001F3
Deck Single Control Mixer
Sink Faucet with Alternative
Water Spray Button



ARGO



HFVSP-000077
Deck Single Sink Faucet
(High Body with Spring Spout
and 2 Alternative Water Flow System)



Marathon
FUNCTION & REVOLUTION



HFVSP-1000A8
Deck Single Sink Faucet
with Shower Set



HFVSP-1000A9
Deck Single Sink Faucet
with Shower Set



HFVSP-1001A9 
Deck Single Control Mixer
Sink Faucet with Shower Set



Polaris
Smooth & Strong



HFVSP-100091
Deck Single Sink Faucet



+Smooth
living experience



HFVSB-1000D5
Deck Single Sink Faucet



Forte

modern & elegant



HFVSP-100072

Deck Single Sink Faucet



HFVSP-100172

Deck Single Control Mixer Sink Faucet



Tempo



HFVSB-1000L3

Deck Single Sink Faucet



POCKET

Compact Design



HFVSB-1000G1

Deck Single Sink Faucet



HFVSB-1000G6

Deck Single Sink Faucet (Pull Spray)



HFVSB-1000G9

Deck Single Sink Faucet



HFVSB-1120G1

Wall Single Sink Faucet

KITCHEN FAUCET

STAINLESS STEEL 304

bonny
easy to play



HFVSB-1120K3
Wall Single Sink Faucet



HFVSB-1000K3
Deck Single Sink Faucet

Lex



HFVSB-1000101
Deck Single Sink Faucet



HFVSB-1120101
Wall Single Sink Faucet
(Swivel Spout)



PROFESSIONAL
HFVSA-112003
Wall Single Sink Faucet

DRINKING WATER FAUCET FOR WATER PURIFIER



HFVSB-1000W7
Drinking Water Faucet for Water Purifier



NEW ARRIVAL

HFVSB-1000W16
Drinking Water Faucet for Water Purifier



Confidence

Able to use with all kinds of water filters*

** Standard water filter which is able to change water purifier drinking faucet **

Durability

Made of Stainless steel grade 304, strong, durable and high corrosion resistance

Hygiene

Hygienic, Safe for human health, without hazardous heavy metal contamination

WATER DISPENSER



HFVSR-2120S7
Drinking Water Faucet for Water Dispenser

PROFESSIONAL



HFVSA-112003
Wall Single Sink Faucet



HFVSA-200002
Deck Single Basin Faucet



HFVSA-2000G3
Deck Single Basin Faucet

HARDWARE

STAINLESS STEEL 304



HLS14-4862-0

Single Bowl Sink
with Drainer Set
Size W485 x L620 x T270 mm.
Free!! Sink Waste



HLS14-4835-1

Single Bowl Sink
with Drainer Set
Size W480 x L350 x T190 mm.
Free!! Sink Waste



NEW
ARRIVAL

HLS14-12050-2

Double Bowl Sink
with One Tray and Drainer Set
Size W500 x L1200 x T200 mm.
Free!! Sink Waste



HG445-DOOR2T

Cylindrical Knob Lockset
for Bathroom Door (without key)



HG445-ENT2T

Cylindrical Knob Lockset
for Entrance Door (with key)



HPWCA-TTL04L

Cylindrical Knob Lockset
for Bathroom Door (without key)



HPWCA-TTL04R

Cylindrical Knob Lockset
for Bathroom Door (without key)

SHOWER & ACCESSORIES

STAINLESS STEEL 304




INNOVATION PRODUCTS

PREMIUM QUALITY

Make your worthwhile decision
of the best product elaborately designed
for your best utilization


RAIN SHOWER

STAINLESS STEEL 304




FJVHS-144QUS

External Shower Set :
Wall Single Shower Faucet with Diverter
Overhead Shower dia. 10"
and Hand Shower dia. 4"
(without Valve)




Recommended to use with highest Watt capacity water-heater machine/water pump

- Blue hose : Inlet cold water to water heater machine
- Orange hose : Outlet mixer water from water heater machine



FJVHS-144QVS

External Shower Set : New Cross
Wall Single Shower Faucet with Diverter
Overhead Shower dia. 10"
and Hand Shower dia. 4"



- Blue hose : Inlet cold water to water heater machine
- Orange hose : Outlet mixer water from water heater machine




FJVHS-115TCS

External Shower Set : Pocket Wall Single Shower Faucet with Diverter for Overhead Shower dia. 8" and Hand Shower dia. 2.5"



FJVHS-115QKS

External Shower Set : New Cross Wall Single Shower Faucet with Diverter for 2 Steps Adjustable Overhead Shower dia. 8" and Hand Shower dia. 2.5"



Recommended to use with highest Watt capacity water-heater machine/water pump

- Blue hose : Inlet cold water to water heater machine
- Orange hose : Outlet mixer water from water heater machine

RAIN SHOWER

STAINLESS STEEL 304



FJVHS-115TDS 

External Shower Set : Pocket
Wall Dual Control Mixer
Shower Faucet with Diverter
for Overhead Shower dia. 8"
and Hand Shower dia. 2.5"



 **FJVHS-118BAS**


External Shower Set : Harmony
Wall Single Control Mixer
Shower Faucet with Diverter
for Overhead Square Shower dia. 8"
and Hand Shower



FJVHS-115DFS 

External Shower Set : Marathon
Wall Single Control Mixer Shower Faucet
with Diverter for Overhead Shower dia. 8"
and Hand Shower dia. 2.5"



FJVHS-115FBS 

External Shower Set : Forte
Wall Single Control Mixer
Shower Faucet with Diverter
for Overhead Shower Round dia. 8"
and Hand Shower dia. 2.5"

RAIN SHOWER

STAINLESS STEEL 304



FJVHS-144PAS


External Shower Set : Tempo
Wall Dual Control Mixer
Shower Faucet with Diverter
for Overhead Shower dia. 10"
and Hand Shower 4"




FJVHS-144RCS

External Shower Set : Villa
Wall Single Control Mixer
Shower Faucet with Diverter
for Overhead Shower dia. 10"
and Hand Shower 1"





FJVHS-118ZAS
Shower Head 8"



FJVHS-144ZAS
Shower Head 10"



FJVHS-115ZAS
Shower Head 8"



FJVHP-J0350S
Arm Shower



FJVHS-112QAS
Post Shower 4" Set



FJVHF-120ADS
Hand Shower 4" Set
with Hose



FJVHF-114AJS
Hand Shower 2.5" Set
with Hose



FJVHF-116ALS
Hand Shower 2.5" Set
with Hose

CHECKLIST

BEFORE CHOOSING SHOWER HEAD



✔ There are many kinds of material such as Stainless Steel, Plastic, Brass etc.



✔ Choosing the one that has good design and quality; moreover, it needs to suit with user's bathroom in term of style and size.



✔ Head shower's holder is something that buyer should consider such as if users are children or elder,



✔ Water flow and water pressure should suit to user's taste.



✔ It will be wise as a worthwhile investment if user chooses water saving shower head. Water Saving Shower Head should generate water flow rate no more than 9 liter per minute with water pressure at 1 bar.




✔ Price is depend on material type, size and innovation of adjustable water flow of shower head.

◆ MAINTENANCE CARE ◆

OVERHEAD SHOWER AND HAND SHOWER


There may be some dregs agglomerating and logging the silicone nozzle of Overhead Shower or Hand Shower after being used for a while. The dregs and limestone may come from ground water or caused by water heater which causes unsmoothness or clog water flow during shower



DREGS AND LIMESTONE
CAUSE UNSMOOTHNESS WATER FLOW OF SHOWER



Scan QR CODE to see VDO
Clean Shower Head



Clean the silicone nozzle occasionally by squeezing or softly brushing by used toothbrush while the water is still on to prevent agglomerating dregs.

SHOWER & FAUCET ACCESSORIES

STAINLESS STEEL 304



 **FJVHP-0005S**
Slide Bar



 **FJVHP-00016S**
Slide Bar
with Soap Holder



 **FJVHP-00066S**
Slide Bar with Wire Basket
and Soap Holder



 **FZVHV-A00016**
Inlet Hose

 **FZVHV-A00020**
Inlet Hose

 **FZVHV-A00024**
Inlet Hose



 **FXVH0-0040GS**
Rinser Flex Hose
Length 1.20 m.



 **FJVHP-00085S**
Shower Silver Hose
Length 1.50 m.

 **FJVHP-00044S**
Shower Flex Hose
Length 1.50 m.



 **HFVSP-00006S**
Conceal Diverter



 **FZVHY-J328AB**
Base



 **FZVHY-000003**
Base



 **FZVHY-000218**
Spiral Tail
for Hose Connector



 **FZVHY-000198**
Nut Lock Connector
for Washing Machine

RINSING SPRAY , TRAP , WASTE , FLOOR DRAIN

STAINLESS STEEL 304

PREMIUM QUALITY

Represent your unique personality with the unique style.





**NEW
ARRIVAL**

FXVH0-0040ZS

Rinsing Spray Set



FXVH0-0040ES

Rinsing Spray Set

FXVH0-0060ES

(Head only)



FXVH0-0040KS

Rinsing Spray Set

FXVH0-0060KS

(Head only)



FXVH0-0040NS

Rinsing Spray Set

FXVH0-0060NS

(Head only)



FAVHL-A109GS

P-Trap 240 mm.

Depth to wall



HLA09-LA109L

Bottle Trap 240 mm.

Depth to wall



HLA01-LA101F

Basin Waste Plug

For Basin with Overflow Hole



HLA01-LA101H

Pop Up Basin Waste Plug

For Basin with Overflow Hole



FAVHL-A109HS

P-Trap 390 mm.

Depth to wall



HLA09-LA109S

Bottle Trap 390 mm.

Depth to wall

FLUSH VALVE

STAINLESS STEEL 304



HFVSR-8120S3
Urinal Flush Valve



HFVSR-6120S1
Urinal Flush Valve



HFVSR-6120S2
Urinal Flush Valve




HFVSR-6120S3
Flush Valve for Toilet Flat Seat



HFVSR-6120S4
Flush Valve for Toilet Flat Seat

THE ADVANTAGE OF VRH FLOOR DRAIN



General floor drain.



VRH floor drain.




They look the same appearance, and how is the difference ?

VRH floor drain has bigger drainage tube.



General floor drain has the diameter of internal drain tube 1 1/2 inches.



VRH floor drain has the diameter of internal drain tube 2 inches.

The internal diameter of the drain tube is different.



The space for ponding is bigger and deeper.
The odors protector lid is bigger which helps better drainage.



For all these beneficial components of VRH floor drain, they encourage for faster drainage, no flooding and reversible odors.


VRH floor drain is made of premium stainless steel grade 304 which is strong, durable and high corrosion resistance.



Scan QR CODE to see VDO
5 Advantages of VRH Floor drain


FLOOR DRAIN

STAINLESS STEEL 304



FUVHU-F002AS

Tile Insert Floor Drain 4.8"



FUVHU-W002FS

Floor Drain 4.8"



FUVHU-W001JS

Roof Drain 5"



FUVHU-W001AS

Floor Drain 4"
Flow Rate 18.20 L/m




FUVHU-W001BS

Floor Drain 4"
Flow Rate 15.00 L/m



FUVHU-W001DS

Floor Drain 3.5"
Flow Rate 11.00 L/m



FUVHU-W002AS

Floor Drain 4"
Flow Rate 18.20 L/m




FUVHU-W002BS

Floor Drain 4"
Flow Rate 15.00 L/m




FUVHU-W002DS

Floor Drain 3.5"
Flow Rate 14.00 L/m



FUVHU-W001GS

Roof Drain 4"



BATHROOM ACCESSORIES

STAINLESS STEEL 304

PREMIUM QUALITY

Fulfill the elegance in your bathroom
with our products elaborately designed
for your best utilization





FXVH0-0285AK

Wall mounted multi-purpose hook
for Medical tool



FXVH0-0285BK

Wall mounted
hospital bowl rack



FXVH0-0285CK

Wall mounted
multi-purpose double rack
for Medical tool

BATHROOM ACCESSORIES

STAINLESS STEEL 304

BA | Bathroom
Accessories
Series : BA



NEW
ARRIVAL

HBA01-D600SS

Towel Bar 600 mm.



NEW
ARRIVAL

HBA01-D750SS

Towel Bar 750 mm.

BP | Bathroom
Accessories
Series : BP



HBP01-600SS

Towel Shelf 600 mm.



FBVHS-0131AS

Foldable Cloth Rack
600 x 300 mm.



HBP02-600SS

Towel Shelf 600 mm.



FBVHB-N101AS

Towel Bar 600 mm.



FBVHB-N101BS

Towel Bar 750 mm.



FBVHB-N102AS

Towel Hook



FBVHB-N104AS

Toilet Paper Holder
with Covering Plate



FBVHB-N104BS

Toilet Paper Holder



FBVHB-N107AS

Soap Holder



FBVHB-N104CS

Toilet Paper Holder

BATHROOM ACCESSORIES

STAINLESS STEEL 304



FBVHC-U101AS

Towel Bar 600 mm.



FBVHC-U104AS

Toilet Paper Holder
with Covering Plate



FBVHC-U104BS

Toilet Paper Holder

Kanda



FBVHK-A103AS

Towel Ring



FBVHK-A102AS

Towel Hook



FBVHK-A107AS

Soap Holder




FBVHK-A104AS

Toilet Paper Holder

BOX



BATHROOM ACCESSORIES



Scan QR Code to see VDO product
Presentation of BOX series

BATHROOM ACCESSORIES

STAINLESS STEEL 304



 **FBVHB-O101AS**
Towel Bar 600 mm.



 **FBVHB-O103AS**
Towel Ring



 **FBVHB-O102AS**
Towel Hook



 **FBVHB-O104AS**
Toilet Paper Holder



 **FBVHB-O107AS**
Soap Holder



 **FBVHB-B106AS**
Glass Shelf



 **FBVHB-B101BS**
Towel Bar 600 mm.



 **FBVHB-B101AS**
Towel Bar 600 mm.




 **FBVHB-B104AS**
Toilet Paper Holder
with Covering Plate



 **FBVHB-B102AS**
Towel Hook



 **FBVHB-B107AS**
Soap Holder



 **FBVHB-B104CS**
Toilet Paper Holder



Scan QR Code to see VDO product
Presentation of BAMBOLA series



FBVHB-E101AS

Towel Bar



FBVHB-E102AS

Towel Hook



FBVHB-E103AS

Towel Ring



FBVHB-E104AS

Toilet Paper Holder
with Covering Plate



FBVHB-E107AS

Soap Holder

Mali



FBVHM-L101AS

Towel Bar 600 mm.



FBVHM-L102AS

Towel Hook



FBVHM-L103AS

Towel Ring



FBVHM-L104AS

Toilet Paper Holder
with Covering Plate



FBVHM-L107AS

Soap Holder

BATHROOM ACCESSORIES

STAINLESS STEEL 304

Mod



HM101-M101
Towel Bar 600 mm.



HM102-M102
Towel Hook



HM104-M104
Toilet Paper Holder
with Covering Plate



TURTLE.J



FBVHT-T101AS
Towel Bar 600 mm.



FBVHT-T102AS
Towel Hook



FBVHT-T103AS
Towel Ring



FBVHT-T104AS
Toilet Paper Holder
with Covering Plate



FBVHT-T107AS
Soap Holder



SANITARY WARE

STAINLESS STEEL 304

PREMIUM QUALITY

Modern innovation and technology to create
color of happiness and respond the
lifestyle of your bathroom



AUTOMATIC TOILET

That comes with modern innovation and technology to create color of happiness and respond the lifestyle of your bathroom



X Helga Ingrid



Scan QR Code to see VDO product Presentation of HELGA series



Nozzle position adjustment



Warm air dryer



Night light



Front Oscillate



Rear Oscillate



Water temperature adjustment /
Warm air dryer / Seat cover




NEW
ARRIVAL

RB954-IT1PC-D66D0

Floor Standing Automatic Toilet

**NEW
ARRIVAL**



X Helga Ingrid 



RB954-TL1PC-A718

Floor Standing
Siphonic One-Piece Toilet



RB954-TL1PC-A8048

Floor Standing
Siphonic Tornado Flush
One-Piece Toilet



RB954-TL1PC-FVT865

Floor Standing
One-Piece Toilet
with Flushing System



RB954-TL2PC-7009

Floor Standing Two-Piece
Toilet with Flushing System



RB954-WHUPT-8014

Wall-Hung Urinals with Outside
Water Flush System and Built-in
Wall Waste

SANITARY WARE

CERAMIC



X Helga Ingrid 

**NEW
ARRIVAL**



RB955-WBTT0-8326

Above Counter
Oval Shape Basin
(without Overflow Hole)



RB955-WBTTC-8801

Above Counter
Round Shape Basin
(1Tap Hole and
Overflow Hole)



RB955-WBTTR-485A

Above Counter
Square Shape Basin
(1Tap Hole, without Overflow
Hole)



RB955-WBPBC-4009

Wall Hung Basin
with Full Pedestal
(1Tap Hole and
Overflow Hole)



RB955-WBPBR-7021

Wall Hung Basin
with Full Pedestal
(1Tap Hole and
Overflow Hole)

WIREWARE

STAINLESS STEEL 304

PREMIUM QUALITY

VRH Stainless steel wireware for multi-purpose usage with excellent quality.



WIREWARE

STAINLESS STEEL 304



HW103-W103A

Wireware for Bathroom
Size 200 x 275 x 50 mm.



HW103-W103B

Wireware for Bathroom
Size 265 x 367 x 50 mm.



HW105-W105T1

Wireware for Bathroom
Size 200 x 275 x 630 mm.




HW105-W105A

Wireware for Bathroom
Size 200 x 280 x 360 mm.



HW105-W105B

Wireware for Bathroom
Size 255 x 369 x 360 mm.



HW206-W206L

Wireware for Bathroom



H105C

H102N

*Recommended wireware items to comply with W206L

VRH | W102E , W105A , W105B , W302 , W303

HOY | H102D , H102N , H103 , H105C , H109 , H109Q



HW301-W301

Wireware for Bathroom
Size 167 x 230 x 50 mm.



HW304-W304

Wireware for Bathroom
Size 100 x 200 x 36 mm.



HW302-W302

Wireware for Bathroom
Size 167 x 230 x 350 mm.



HW310-W310


Wireware for Bathroom
Size 140 x 200 x 555 mm.

WIREWARE

STAINLESS STEEL 304



HW104-W104G
Wireware for Kitchen



HW104-W104H
Wireware for Kitchen



HW106-W106
Wireware for Kitchen
Size 300 x 400 x 400 mm.



HW106-W106B
Wireware for Kitchen
Size 300 x 400 x 100 mm.



HW106-W106L1
Wireware for Kitchen
Size 800 x 210 x 145 mm.



HW106-W106O3
Wireware for Kitchen
Size 87 x 205 x 134 mm.

**HW106-W106D7**


Wireware for Kitchen
Size 215 x 600 x 180 mm.

**HW106-W106D6**

Wireware for Kitchen
Size 215 x 800 x 180 mm.

**HW106-W106D5**

Wireware for Kitchen
Size 215 x 1,000 x 180 mm.

**HW106-W106Y3**

Wireware for Kitchen
Size 281 x 495 x 340 mm.

**HW109-W109O1**

Wireware for Kitchen
Size 118 x 300 x 115 mm.

**HW108-W108B**

Wireware for Kitchen
Size 160 x 310 x 380 mm.

WIREWARE

STAINLESS STEEL 304



HW101-W101B

Multi-Purpose Wireware
Size 107 x 200 x 115 mm.



HW102-W102

Multi-Purpose Wireware
Size 120 x 300 x 75 mm.



HW102-W102B

Multi-Purpose Wireware
Size 147 x 300 x 370 mm.



HW102-W102E

Multi-Purpose Wireware
Size 105 x 350 x 110 mm.



HW109-W109M

Multi-Purpose Wireware
Size 200 x 275 x 50 mm.



HW109-W109E

Multi-Purpose Wireware
Size 200 x 275 x 50 mm.



HW701-W701A
Multi-Purpose Wireware
Size 150 x 300 x 45 mm.



HW109-W109J
Multi-Purpose Wireware
Size 147 x 300 x 116 mm.



HW500-W500SS
Multi-Purpose Wireware
Size 48 x 1,000 mm.



HW701-W701B
Multi-Purpose Wireware
Size 150 x 460. x 45 mm.



HW206-W206D
Multi-Purpose Wireware
Size 28 x 350 x 50 mm.



HW206-W206E
Multi-Purpose Wireware
Size 28 x 448 x 51 mm.



HW507-W507
Multi-Purpose Wireware
Weight : 10kg./pc.

GRAB BAR

STAINLESS STEEL 304

PREMIUM QUALITY

Make safety confidence for the one you care with VRH safety Grab Bar which is researched, tested and certified by Thailand Industrial Standard Institute (TISI) and International Quality Standard (ISO 9000 : 2001) and CIT



THE TIPS BEFORE MAKING DECISION TO PURCHASE **GRAB BAR**



The tips you should be concerned before making decision to purchase Grab Bar

- The material, its fitting and spare parts used in production process must be strong, durable and corrosion resistance for safety concern.
- Choose the suitable shape, size and weight loading ability for the space and usability required.
- Brands and distributors must be reliable.
- Packaging, product label, manufacturer information must be clear and complete.



SAFETY

THE PRODUCT OF CARE
AND ATTENTION



GRAB BAR SWING

STAINLESS STEEL 304




FBVHS-0102CS

Swing Rail Support
Size : 580x220 mm. OD : 32 mm.




FBVHS-0102DS


Flip-Up Rail Support
Size : 580x220 mm. OD : 32 mm.




INSTALLATION



1 Find a suitable spot for installation and drill the 6 mm. hole through the wall by drilling tool.



2 Insert rawl plugs into the holes tightly.



3 Using Spanner L. / Hex wrench to fix the product and the rawl plugs by screwing them tightly, then cover with the plate.

Warning : Try to avoid any material that can cause scratches namely hard material, brush, scourer or any chemical solution that contains high alkaline and acid compounds. For cleaning, use clean cloth and clean water and wipe it dry.



FBVHC-TS790A
Grab Bar OD 25 mm.
Length 300 mm.



FBVHC-TS790B
Grab Bar OD 25 mm.
Length 360 mm.



FBVHC-TS790C
Grab Bar OD 25 mm.
Length 500 mm.



FBVHC-TS790D
Grab Bar OD 25 mm.
Length 600 mm.



FBVHC-TS790E
Grab Bar OD 25 mm.
Length 800 mm.



FBVHC-TS790F
Grab Bar OD 25 mm.
Length 900 mm.

GRAB BAR

STAINLESS STEEL 304



CIT
CERTIFIED INSTITUTE TESTED

FBVHC-TS790G

Grab Bar OD 32 mm.
Length 600 mm.



CIT
CERTIFIED INSTITUTE TESTED

FBVHC-TS790H

Grab Bar OD 32 mm.
Length 800 mm.



CIT
CERTIFIED INSTITUTE TESTED

FBVHC-TS790I

Grab Bar OD 32 mm.
Length 1200 mm.

Safety

The product of care
and attention

- ✓ *Tested and quality certified by Intertek Institute and CIT*
- ✓ The product and fixing system are made of Stainless Steel grade 304, strong, safe, durable, and corrosion resistance.
- ✓ Suitable for the aged, disabled, osteopathic, pregnant people and patients.



FBVHC-TS792B

Grab Bar 135° OD 25 mm.
Size 200 x 200 mm.
(Left / Right)



FBVHC-TS792C

Grab Bar 135° OD 25 mm.
Size 200 x 200 mm.
(Left / Right)



FBVHC-TS792D

Grab Bar 135° OD 32 mm.
Size 300 x 300 mm.
(Left / Right)



FBVHC-TS792E

Grab Bar 135° OD 32 mm.
Size 300 x 400 mm.
(Left / Right)



FBVHC-TS791A

Grab Bar 90° OD 32 mm.
Size 300 x 400 mm.
(Left / Right)



FBVHC-TS791B

Grab Bar 90° OD 32 mm.
Size 300 x 500 mm.
(Left / Right)



FBVHC-TS791C

Grab Bar 90° OD 32 mm.
Size 300 x 600 mm.
(Left / Right)

GRAB BAR

STAINLESS STEEL 304



FBVHC-TS792A

Grab Bar 135° OD 25 mm.
Size 300 x 500 mm.
(Right)



CIT
CORPORATION OF INDIA

FBVHC-TS791D

Grab Bar 90° OD 32 mm.
Size 600 x 600 mm.
(Left)



CIT
CORPORATION OF INDIA

FBVHC-TS792F

Grab Bar 135° OD 32 mm.
Size 300 x 400 mm.
(Left)



FBVHC-TS791E

Grab Bar 90° OD 32 mm.
Size 600 x 600 mm.
(Right)



FBVHC-TS793A

Grab Bar OD 25 mm.
Size 700 x 700 mm.



FBVHC-TS793B

Grab Bar OD 32 mm.
Size 700 x 700 mm.



FBVHC-T001BS

Grab Bar 90° OD 32 mm.
Size 800 x 700 mm.

Remark : QR Code reader for product size and dimension

GRAB BAR

STAINLESS STEEL 304



FBVHC-TS794A

Grab Bar OD 25 mm.
Size 700 x 750 mm.



FBVHC-TS794B

Grab Bar OD 32 mm.
Size 700 x 750 mm.



FBVHC-TS795B

Grab Bar OD 32 mm.
Size 800 x 700 mm.



FBVHC-T790GS

Grab Bar OD 38 mm.
Length 300 mm.



FBVHC-T790AS

Grab Bar OD 38 mm.
Length 600 mm.



FBVHC-T790LS

Grab Bar OD 38 mm.
Length 800 mm.



FBVHC-T790RS

Grab Bar OD 38 mm.
Length 1,000 mm.



FBVHC-T791LS

Grab Bar 90° OD 38 mm.
Size 600 x 700 mm. (Right)



FBVHC-T791RS

Grab Bar 90° OD 38 mm.
Size 600 x 700 mm. (Left)


GRAB BAR

STAINLESS STEEL 304



FBVHC-T793AS

Grab Bar OD 38 mm.
Size 720 x 720 mm.



FBVHC-T794AS

Grab Bar OD 38 mm.
Size 638 x 570 mm.



FBVHC-T795AS

Grab Bar OD 38 mm.
Size 820 x 760 mm.




Wall mounted foldable chair for multi-purpose use


- Made of Nylon plastic which is very strong and durable.
- Maximum load ability 200 Kgs.
- Foldable after use to save your space
- Ideal use for household or public place such as hospital, gym, department store

Standard height installation

Step floor use format



Toilet use format



unit:mm.

WALL MOUNTED FOLDABLE CHAIR

FOR MULTI-PURPOSE USE



FBVHC-TS797A

Wall Mounted Foldable Chair




FBVHC-TS797B


Wall Mounted Foldable Chair

INSTALLATION


1. Mark the desired location on the wall, drilling the hole (4 points) by impact drill and put the screw plug afterwards (Drill bit size : $\frac{1}{2}$ inches)



2. Fix the foldable chair to the wall by insert fixing screw through the fixing plate (lower row) of the product, tighten firmly by Hex wrench (size 6 mm.)



3. Unfold the chair and then insert fixing screw through the fixing plate (upper row) of the product, tighten firmly by Hex wrench (size 6 mm.) afterwards.



4. Test fixing stability, if the product is loose, tighten firmly by Hex wrench and re-check fixing stability to ensure tight installation, strength and safety.

Warning : Avoid cleaning by sharp material which may cause scratch or cleaning by strong pH detergent which can corrode the product's surface. Softly clean by clean water and Damp cloth and wipe it dry by soft cloth is recommended for proper care.

Remark : QR Code reader for product size and dimension

Product Warranty

Warranty Condition:

The guarantee covers product with defect from production or malfunction from proper use according to product's specification, capacity and instruction manual only. V.R.Union Co.,Ltd. will compensate for defect with the same product or equivalence.

The warranty does not cover on following conditions:

1. Improper or wrong installation from the installation instruction.
2. Malfunction and damage caused by inappropriate care or misuse.
3. Indirect damage from installation, withdrawal and removal.
4. Expense from delivery for product return and/or compensation.
5. Malfunction and damage caused by wrong purpose usage and/or adaptation or modification of product.
6. Use with underground water, hard water, dirty water and/or acid-alkaline contaminated water.
7. Use with high pressure water (Over 5 Bars)

Warranty Period:

Product	Part	Warranty Period
Flühs Valve Faucet	Faucet Body (stainless steel 316)	30 years
	Flühs Valve (Leakage case)	12 years or 1,000,000 times
	Filter and Plastic components	5 years
	Rubber washer, Inner Inlet Hose and Rubber components	5 years
	Inlet Hose	5 years
Ceramic Valve Faucet	Faucet Body (stainless steel 304)	30 years
	Ceramic Valve (Leakage case)	12 years or 500,000 times
	Ceramic Valve set (Leakage case for BONNY series)	7 years or 200,000 times
	Filter and Plastic components	5 years
	Rubber washer, Inner Inlet Hose and Rubber components	5 years
Self-Closing Faucet	Faucet Body (stainless steel 304)	30 years
	Spring (Self-Closing Faucet)	5 years or 200,000 times
	Filter, Valve Housing and Plastic components	5 years or 200,000 times
	Rubber Washer, Inner Inlet Hose and Rubber Components	5 years
Over-Head Shower and Hand Shower	Shower Head and Shower Arm (Stainless Steel 304)	30 years
	Plastic Components	5 years
	Rubber Washer, Rubber Nozzle and Rubber Components	5 years
	Inlet Hose (Flexible Hose 1.5 m.)	5 years*
Rinsing Spray	Rinsing Spray Body (stainless steel 304)	30 years
	Leakage	10 years
	Inlet Hose (Flexible hose 1.2 m.)	5 years*
Bathroom Accessories		
	Product Body (stainless steel 304)	99 years
Grab Bar		
	Product Body (stainless steel 304)	99 years
Wireware		
	Product Body (stainless steel 304)	99 years
Waste Trap (109AS, 109BS)		
	Product Body (stainless steel 304)	12 years

Remark : • Normal use means that the product is used in normal operation, normal condition and normal environment in personal place with normal temperature, humidity and proper pH state.
• Warranty period does not cover for usage in public or outside residences.

MADE TO ORDER

HYBRID
think for the *next*



HFVSB-2000H2
Deck Single Basin Faucet



HFVSB-1000H1
Deck Single Sink Faucet



HFVSB-1120H1
Wall Single Sink Faucet

wind

+Smooth
living experience



HFVSB-1000P1
Deck Single Sink Faucet



HFVSB-2000D1
Deck Single Basin Faucet



HFVSB-1000D1
Deck Single Sink Faucet



HFVSB-200022
Deck Single Basin Faucet



HFVSB-100023
Deck Single Sink Faucet



HFVSB-312022
Wall Single Shower Faucet
for Hand Shower
(without Shower Hose)



HFVSB-200023
Deck Single Basin Faucet



HFVSB-2000X2
Deck Single Basin Faucet



HFVSB-1000X1
Deck Single Sink Faucet




FBVHC-U107AS
Soap Holder




 **FBVHM-A101AS**
Towel Bar 600 mm.



 **FBVHM-A104AS**
Toilet Paper Holder



 **FBVHM-A102AS**
Towel Hook

WIREWARE

+Smooth
living experience




HW303-W303
Wireware for Bathroom
Size 167 x 230 x 528 mm.



HW311-W311
Wireware for Bathroom
Size 140 x 150 x 555 mm.



 **FJVHS-115ABS**

External Shower Set : Smooth
Wall Dual Control Mixer
Shower Faucet with Diverter
for Overhead Shower dia. 8"
and Hand Shower



Remark : QR Code reader for product size and dimension

WIREWARE



HW106-W106O1

Wireware for Kitchen
Size 65 x 155 x 115 mm.



HW206-W206F

Multi-Purpose Wireware
Size 34 x 448 x 50 mm.



HW206-W206J

Multi-Purpose Wireware
Size 50 x 450 x 50 mm.

Click




FBVHY-CK01AN

Towel Bar
Length 600 mm.




FBVHY-CK01BN

Towel Bar
Length 850 mm.




unit : mm.



FBVHY-CK01CN

Clothes Hanger Rack
Length 600 mm.



unit : mm.

**new
living
experience**

- Hardware
- Faucet and Shower
- Bathroom and Kitchen Accessories
- Toilet, Wash Basin and Bathroom Accessories
- Elderly and Disabled Products
- Smart Home Products



V.R.Union CO., LTD.

137/16 Moo.9 Phetksem Rd., Suanluang, Kratumban Samutsakorn 74110 THAILAND

Tel. +66 2811 1180-4 Fax. +66 2811 1185-6

Email : international.sales@vru.co.th

www.VRH.co.th



www.facebook.com/VR.VRH



Along with environmental-friendly manufacturing process, this printing media is printed using Green Ocean Paper and soy Ink. The overall production helps to reduce Kg.CO2eq to turning off 1,585 light bulbs in one day.